

APPENDIX A: TABLE OF MONITORING ASSIGNMENTS for Legacy EAS

In addition to the FCC requirement to monitor the FEMA EAS CAP feed, all Wisconsin broadcasters and cable operators must continue to monitor the two mandated over-the-air sources shown as Inputs #1 and #2 for their county in the tables on the following pages. Inputs #4 thru #6 are optional, but will add redundancy to receiving alerts at all levels of EAS.

The State Relay (SR) and Local Primary (LP-1 and LP-2) stations have agreed to monitor all optional sources shown for their stations, in order to provide the maximum alternate-path options to all broadcasters and cable operators.

In 2004, NOAA Weather Radio (NWR) began relaying national, state, and local alerts issued by the U.S. Department of Homeland Security. In 2021, NWR began relaying local alerts using NWEM (Non-Weather Emergency Message) alerts. Wisconsin broadcasters and cable operators are therefore strongly encouraged to begin monitoring NWR directly, if not already doing so.

LEGACY EAS MONITORING ASSIGNMENT WAIVERS:

EAS Participants with a Monitoring Assignment Waiver are listed in Appendix H of this Plan.

STATEWIDE EAS FREQUENCY

The previous Low-Band two-way radio frequency, 45.12 MHz, that was designated as a statewide channel available for all individual County Sheriff/Emergency Management agencies to use for sending EAS alerts to local broadcasters and cable operators has now been removed from the State EAS Plan and the Monitoring tables. County agencies are no longer using the Low Band channel, and have transitioned to IPAWS as the method to directly reach EAS Participants.

HOW TO FIND YOUR MONITORING ASSIGNMENT TABLE:

All Wisconsin broadcasters and cable operators should monitor the sources shown for the county in which their City of License is located. Determine that county, then consult the map in Appendix E to determine which Local Area that county will be found in. Next, find the page in this section for that Local Area. Your county will be listed on the top line of one of the tables on that page. The sources listed in that table are the ones you are to monitor.

Notes on information shown in EAS Assignment Tables:

- + = Weather Radio listing shows the main NWR station sending the RMT for that area.
- If you are experiencing reception problems with that NWR station, see Appendix B for alternate Weather Radio possibilities which also send the RMT for your county.

EAS LEVELS: Identifies what levels of EAS will be available on that particular decoder input.

N = National

S = State

W = Weather Alerts

L = Local Civil Emergencies, including from NWS NWEM

D = Alerts from Department of Homeland Security, which could be national, state, or local.

STATE PRIMARY (SP) SOURCE: NATIONAL EAS MONITORING POINT FOR STATE EAS NETWORK / BACK-UP STATE EAS ORIGINATION POINT:

Wisconsin Educational Communications Board / Operations Center in Madison – ECB/OC						
INPUT	Input #1	Input #2	Input #3	Input #4	Input #5	Input #6
MONITORED SOURCE	NPR News Squawk Channel	PEP Station	Wisconsin State EOC Backup	Spare	WSP TMC Primary	WSP TMC Backup
FREQUENCY	NPR Satellite	WTMJ / 620	DASEOC		DOT Net	DASEOC
EAS LEVELS	N	N	S		Amber Alerts	Amber Alerts

APPENDIX A: TABLE OF MONITORING ASSIGNMENTS for Legacy EAS
(Continued)

Local Area: EAST CENTRAL

State Relay (SR) Station: WPNE, 89.3 MHz, Green Bay						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Agreed
MONITORED SOURCE	ECB/OC Fiber Ch.	LP-1 Stations WTAQ-AM WIXX-FM	Green Bay Wx Radio	LP-2 Stations WHBY-AM WAPL-FM	Spare	Spare
FREQUENCY	Direct Feed	1360/101.1	Direct Feed	1150/105.7		
EAS LEVELS	N/S	N/S/L/W	W/D/L	N/S/L/W		

Local Primary 1 (LP-1) Stations: WTAQ/WIXX, Green Bay						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Optional
MONITORED SOURCE	SR Station WPNE	LP-2 Stations WHBY-AM WAPL-FM	Green Bay Wx Radio	Premiere Networks	Spare	Spare
FREQUENCY	89.3 MHz	1150/105.7	162.55	FEMA Channel		
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/L	N		

Local Primary 2 (LP-2) Stations: WHBY/WAPL, Kimberly/Appleton						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Optional
MONITORED SOURCE	SR Station WPNE	LP-1 Stations WTAQ-AM WIXX-FM	Green Bay Wx Radio	Spare	Spare	Spare
FREQUENCY	89.3 MHz	1360/101.1	162.55			
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/L			

Brown, Outagamie, Winnebago, Calumet, Manitowoc, Kewaunee, Door, Oconto, and Marinette Counties:						
All PN Stations / Cable Operators						
INPUT STATUS	1-Mandated	2-Mandated	#3-Optional	#4-Optional	#5-Optional	#6-Optional
MONITORED SOURCE	SR Station WPNE	LP-1 Stations WTAQ-AM WIXX-FM	Green Bay Wx Radio ⁺	LP-2 Stations WHBY-AM WAPL-FM	Spare	Spare
FREQUENCY	89.3 MHz	1360/101.1	162.55	1150/105.7		
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/L	N/S/L/W		

Waushara, Marquette, and Green Lake Counties:						
All PN Stations / Cable Operators						
INPUT STATUS	1-Mandated	2-Mandated	#3-Optional	#4-Optional	#5-Optional	#6-Optional
MONITORED SOURCE	SR Station WPNE	LP-1 Stations WTAQ-AM WIXX-FM	Coloma Wx Radio ⁺	LP-2 Stations WHBY-AM WAPL-FM	Spare	Spare
FREQUENCY	89.3 MHz	1360/101.1	162.40	1150/105.7		
EAS LEVELS	N/S/L	N/S/L	W/D/L	N/S/L		

+ = See Appendix B for alternate Weather Radio possibilities.

APPENDIX A: TABLE OF MONITORING ASSIGNMENTS for Legacy EAS
(Continued)

Local Area: SOUTHEAST

State Relay (SR) Station: WHAD, 90.7 MHz, Delafield						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Agreed
MONITORED SOURCE	ECB/OC Fiber Ch.	LP-1 Stations WTMJ-AM WKTI-FM	Milwaukee Wx Radio	LP-2 Stations WSSP-AM WMYX-FM	Spare	Spare
FREQUENCY	Direct Feed	620/94.5	Direct Feed	1250/99.1		
EAS LEVELS	N/S	N/S/L/W	W/D/L	N/S/L/W		

Local Primary 1 (LP-1) Station: WTMJ, Milwaukee [also is PEP Station]						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Optional
MONITORED SOURCE	SR Station WHAD	LP-2 Stations WSSP-AM WMYX-FM	Milwaukee Wx Radio	Spare	Spare	Spare
FREQUENCY	90.7 MHz	1250/99.1	162.40			
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/L			

Local Primary 1 (LP-1) Station: WKTI, Milwaukee						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Optional
MONITORED SOURCE	SR Station WHAD	LP-2 Stations WSSP-AM WMYX-FM	Milwaukee Wx Radio	Premiere Networks	Spare	Spare
FREQUENCY	90.7 MHz	1250/99.1	162.40	FEMA Channel		
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/L	N		

Local Primary 2 (LP-2) Stations: WSSP/WMYX, Milwaukee						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Optional
MONITORED SOURCE	SR Station WHAD	LP-1 Stations WTMJ-AM WKTI-FM	Milwaukee Wx Radio	Spare	Spare	Spare
FREQUENCY	90.7 MHz	620/94.5	162.40			
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/L			

Milwaukee, Waukesha, Racine, Kenosha, Walworth, Washington, Ozaukee, Jefferson, Dodge, Sheboygan, and Fond du Lac, Counties: All PN Stations / Cable Operators						
INPUT STATUS	1-Mandated	2-Mandated	#3-Optional	#4-Optional	#5-Optional	#6-Optional
MONITORED SOURCE	SR Station WHAD	LP-1 Stations WTMJ-AM WKTI-FM	Milwaukee Wx Radio ⁺	LP-2 Stations WSSP-AM WMYX-FM	Spare	Spare
FREQUENCY	90.7 MHz	620/94.5	162.40	1250/99.1		
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/L	N/S/L/W		

+ = See Appendix B for alternate Weather Radio possibilities.

APPENDIX A: TABLE OF MONITORING ASSIGNMENTS for Legacy EAS
(Continued)

Local Area: SOUTH

State Relay (SR) Station: WERN, 88.7 MHz, Madison and WHHI, 91.3 MHz, Highland						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Agreed
MONITORED SOURCE	ECB/OC Fiber Ch.	LP-1 Stations WIBA-AM WIBA-FM	Madison Wx Radio	LP-2 Station WOLX-FM	Spare	Spare
FREQUENCY	Direct Feed	1310/101.5	162.55	94.9 MHz		
EAS LEVELS	N/S	N/S/L/W	W/D/L	N/S/L/W		

Local Primary 1 (LP-1) Stations: WIBA-AM/FM, Madison						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Optional
MONITORED SOURCE	SR Station WERN	LP-2 Station WOLX-FM	Madison Wx Radio	SiriusXM Satellite	Spare	Spare
FREQUENCY	88.7 MHz	94.9 MHz	162.55	Preview Channel 01		
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/L	N		

Local Primary 2 (LP-2) Station: WOLX-FM, Baraboo / Madison						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Optional
MONITORED SOURCE	SR Station WERN	LP-1 Stations WIBA-AM WIBA-FM	Madison Wx Radio	Spare	Spare	Spare
FREQUENCY	88.7 MHz	1310/101.5	162.55			
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/L			

Dane, Rock, Green, Columbia, and Sauk Counties: All PN Stations / Cable Operators						
INPUT STATUS	1-Mandated	2-Mandated	#3-Optional	#4-Optional	#5-Optional	#6-Optional
MONITORED SOURCE	SR Station WERN	LP-1 Stations WIBA-AM WIBA-FM	Madison Wx Radio ⁺	LP-2 Station WOLX-FM	Spare	Spare
FREQUENCY	88.7 MHz	1310/101.5	162.55	94.9 MHz		
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/L	N/S/L/W		

Richland, Iowa, and Lafayette Counties: All PN Stations / Cable Operators						
INPUT STATUS	1-Mandated	2-Mandated	#3-Optional	#4-Optional	#5-Optional	#6-Optional
MONITORED SOURCE	SR Station WHHI	LP-1 Stations WIBA-AM WIBA-FM	Madison Wx Radio ⁺	LP-2 Station WOLX-FM	Spare	Spare
FREQUENCY	91.3 MHz	1310/101.5	162.55	94.9 MHz		
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/L	N/S/L/W		

Grant County: All PN Stations / Cable Operators						
INPUT STATUS	1-Mandated	2-Mandated	#3-Optional	#4-Optional	#5-Optional	#6-Optional
MONITORED SOURCE	SR Station WHHI	LP-1 Stations WIBA-AM WIBA-FM	Bloomington Wx Radio ⁺	LP-2 Station WOLX-FM	Spare	Spare
FREQUENCY	91.3 MHz	1310/101.5	162.50	94.9 MHz		
EAS LEVELS	N/S/L	N/S/L	W/D/L	N/S/L		

+ = See Appendix B for alternate Weather Radio possibilities.

APPENDIX A: TABLE OF MONITORING ASSIGNMENTS for Legacy EAS
(Continued)

Local Area: WEST

Effective October, 2004, WCOW is now FM LP-2 Station.

State Relay (SR) Station: WHLA, 90.3 MHz, La Crosse						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Agreed
MONITORED SOURCE	ECB/OC Fiber Ch.	LP-1 Station WIZM-FM	La Crosse Wx Radio	LP-2 Stations WKTY-AM WCOW-FM	Spare	Spare
FREQUENCY	Direct Feed	93.3 MHz	Direct Feed	580/97.1		
EAS LEVELS	N/S	N/S/L/W	W/D/L	N/S/L/W		

Local Primary 1 (LP-1) Station: WIZM-FM, La Crosse						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Optional
MONITORED SOURCE	SR Station WHLA	LP-2 Stations WKTY-AM WCOW-FM	La Crosse Wx Radio	Premiere Networks	Spare	Spare
FREQUENCY	90.3 MHz	580/97.1	162.55	FEMA Channel		
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/L	N		

Local Primary 2 (LP-2) Stations: WKTY-AM, La Crosse / WCOW-FM, Sparta						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Optional
MONITORED SOURCE	SR Station WHLA	LP-1 Station WIZM-FM	La Crosse Wx Radio	Spare	Spare	Spare
FREQUENCY	90.3 MHz	93.3 MHz	162.55			
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/L			

La Crosse, Buffalo, Trempealeau, Jackson, Monroe, Vernon, and Crawford Counties: All PN Stations / Cable Operators						
INPUT STATUS	1-Mandated	2-Mandated	#3-Optional	#4-Optional	#5-Optional	#6-Optional
MONITORED SOURCE	SR Station WHLA	LP-1 Station WIZM-FM	La Crosse Wx Radio ⁺	LP-2 Stations WKTY-AM WCOW-FM	Spare	Spare
FREQUENCY	90.3 MHz	93.3 MHz	162.55	580/97.1		
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/L	N/S/L/W		

Juneau County: All PN Stations / Cable Operators						
INPUT STATUS	1-Mandated	2-Mandated	#3-Optional	#4-Optional	#5-Optional	#6-Optional
MONITORED SOURCE	SR Station WHLA	LP-1 Station WIZM-FM	Coloma Wx Radio ⁺	LP-2 Stations WKTY-AM WCOW-FM	Spare	Spare
FREQUENCY	90.3 MHz	93.3 MHz	162.40	580/97.1		
EAS LEVELS	N/S/L	N/S/L	W/D/L	N/S/L		

+ = See Appendix B for alternate Weather Radio possibilities.

APPENDIX A: TABLE OF MONITORING ASSIGNMENTS for Legacy EAS
(Continued)

Local Area: WEST CENTRAL

State Relay (SR) Station: WHWC, 88.3 MHz, Menomonie						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Agreed
MONITORED SOURCE	ECB/OC Fiber Ch.	LP-1 Stations WAYY-AM WIAL-FM**	Menomonie Wx Radio	LP-2 Stations WBIZ-AM WBIZ-FM	Spare	Spare
FREQUENCY	Direct Feed	790/94.1	Direct Feed	1400/100.7		
EAS LEVELS	N/S	N/S/L/W	W/D/L	N/S/L/W		

Local Primary 1 (LP-1) Stations: WAYY/WIAL/WAXX, Eau Claire						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Optional
MONITORED SOURCE	SR Station WHWC	LP-2 Stations WBIZ-AM WBIZ-FM	Menomonie Wx Radio	Premiere Networks	Spare	Spare
FREQUENCY	88.3 MHz	1400/100.7	162.40	FEMA Channel		
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/L	N		

Local Primary 2 (LP-2) Stations: WBIZ-AM/FM, Eau Claire						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Optional
MONITORED SOURCE	SR Station WHWC	LP-1 Stations WAYY-AM WIAL-FM**	Menomonie Wx Radio	Spare	Spare	Spare
FREQUENCY	88.3 MHz	790/94.1	162.40			
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/L			

Eau Claire, Pepin, Dunn, Chippewa, Rusk, Barron, Polk, St. Croix, and Pierce Counties: All PN Stations / Cable Operators						
INPUT STATUS	1-Mandated	2-Mandated	#3-Optional	#4-Optional	#5-Optional	#6-Optional
MONITORED SOURCE	SR Station WHWC	LP-1 Stations WAYY-AM WIAL-FM**	Menomonie Wx Radio ⁺	LP-2 Stations WBIZ-AM WBIZ-FM	Spare	Spare
FREQUENCY	88.3 MHz	790/94.1	162.40	1400/100.7		
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/L	N/S/L/W		

+ = See Appendix B for alternate Weather Radio possibilities.

** = Any broadcaster or cable operator having trouble receiving WIAL-FM, should try co-owned station WAXX-FM, 104.5 MHz, 100kW @ 1830', for improved reception. Stations and Cable Systems deciding to use WAXX-FM for EAS monitoring should notify the State EAS Chair shown in Appendix F of this Plan.

APPENDIX A: TABLE OF MONITORING ASSIGNMENTS for Legacy EAS
(Continued)

Local Area: CENTRAL

State Relay (SR) Station: WHRM, 90.9 MHz, Wausau						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Agreed
MONITORED SOURCE	ECB/OC Fiber Ch.	LP-1 Stations WSAU-AM WIFC-FM	Wausau Wx Radio	LP-2 Stations WRIG-AM WDEZ-FM	Spare	Spare
FREQUENCY	Direct Feed	550/95.5	Direct Feed	1390/101.9		
EAS LEVELS	N/S	N/S/L/W	W/D/L	N/S/L/W		

Local Primary 1 (LP-1) Stations: WSAU/WIFC, Wausau						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Optional
MONITORED SOURCE	SR Station WHRM	LP-2 Stations WRIG-AM WDEZ-FM	Wausau Wx Radio	Premiere Networks	Spare	Spare
FREQUENCY	90.9 MHz	1390/101.9	162.475	FEMA Channel		
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/L	N		

Local Primary 2 (LP-2) Stations: WRIG/WDEZ, Wausau						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Optional
MONITORED SOURCE	SR Station WHRM	LP-1 Stations WSAU-AM WIFC-FM	Wausau Wx Radio	Spare	Spare	Spare
FREQUENCY	90.9 MHz	550/95.5	162.475			
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/L			

Marathon, Wood, Portage, Waupaca, Shawano, Menominee, Langlade, Lincoln, Taylor, and Clark Counties:						
All PN Stations / Cable Operators						
INPUT STATUS	1-Mandated	2-Mandated	#3-Optional	#4-Optional	#5-Optional	#6-Optional
MONITORED SOURCE	SR Station WHRM	LP-1 Stations WSAU-AM WIFC-FM	Wausau Wx Radio ⁺	LP-2 Stations WRIG-AM WDEZ-FM	Spare	Spare
FREQUENCY	90.9 MHz	550/95.5	162.475	1390/101.9		
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/L	N/S/L/W		

Adams County: All PN Stations / Cable Operators						
INPUT STATUS	1-Mandated	2-Mandated	#3-Optional	#4-Optional	#5-Optional	#6-Optional
MONITORED SOURCE	SR Station WHRM	LP-1 Stations WSAU-AM WIFC-FM	Coloma Wx Radio ⁺	LP-2 Stations WRIG-AM WDEZ-FM	Spare	Spare
FREQUENCY	90.9 MHz	550/95.5	162.40	1390/101.9		
EAS LEVELS	N/S/L	N/S/L	W/D/L	N/S/L		

+ = See Appendix B for alternate Weather Radio possibilities.

APPENDIX A: TABLE OF MONITORING ASSIGNMENTS for Legacy EAS
(Continued)

Local Area: NORTHWEST

State Relay (SR) Station: WWSA, 89.9 MHz, Brule						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Agreed
MONITORED SOURCE	ECB/OC Fiber Ch.	LP-1 Stations WWSM-AM KDKE-FM	Duluth Wx Radio	LP-2 Stations KDAL-AM KDAL-FM	Spare	Spare
FREQUENCY	Direct Feed	710/102.5	162.55	610/95.7		
EAS LEVELS	N/S	N/S/L/W	W/D/L	N/S/L/W		

Local Primary 1 (LP-1) Stations: WWSM/KDKE, Superior						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Optional
MONITORED SOURCE	SR Station WWSA	LP-2 Stations KDAL-AM KDAL-FM	Duluth Wx Radio	Premiere Networks	Spare	Spare
FREQUENCY	89.9 MHz	610/95.7	162.55	FEMA Channel		
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/L	N		

Local Primary 2 (LP-2) Stations: KDAL-AM/FM, Duluth, MN						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Optional
MONITORED SOURCE	SR Station WWSA	LP-1 Stations WWSM-AM KDKE-FM	Duluth Wx Radio	Spare	Spare	Spare
FREQUENCY	89.9 MHz	710/102.5	162.55			
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/L			

Douglas and Bayfield Counties: All PN Stations / Cable Operators						
INPUT STATUS	1-Mandated	2-Mandated	#3-Optional	#4-Optional	#5-Optional	#6-Optional
MONITORED SOURCE	SR Station WWSA	LP-1 Stations WWSM-AM KDKE-FM	Duluth Wx Radio ⁺	LP-2 Stations KDAL-AM KDAL-FM	Spare	Spare
FREQUENCY	89.9 MHz	710/102.5	162.55	610/95.7		
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/L	N/S/L/W		

Washburn, and Burnett Counties: All PN Stations / Cable Operators						
INPUT STATUS	1-Mandated	2-Mandated	#3-Optional	#4-Optional	#5-Optional	#6-Optional
MONITORED SOURCE	SR Station WWSA	LP-1 Stations WWSM-AM KDKE-FM	Spooner Wx Radio	LP-2 Stations KDAL-AM KDAL-FM	Spare	Spare
FREQUENCY	89.9 MHz	710/102.5	162.475	610/95.7		
EAS LEVELS	N/S/L	N/S/L	W/D/L	N/S/L		

+ = See Appendix B for alternate Weather Radio possibilities.

APPENDIX A: TABLE OF MONITORING ASSIGNMENTS for Legacy EAS
(Continued)

Local Area: NORTH CENTRAL

State Relay (SR) Station: WHBM, 90.3 MHz, Park Falls						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Agreed
MONITORED SOURCE	ECB/OC Fiber Ch.	LP-1 Station WOJB-FM	Park Falls Wx Radio	LP-2 Station WCQM-FM	Spare	Spare
FREQUENCY	Direct Feed	88.9 MHz	Direct Feed	98.3 MHz		
EAS LEVELS	N/S	N/S/L/W	W/D/L	N/S/L/W		

Local Primary 1 (LP-1) Station: WOJB-FM, 88.9 MHz, Reserve/Hayward						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Optional
MONITORED SOURCE	SR Station WHBM	LP-2 Station WCQM-FM	Park Falls Wx Radio	SiriusXM Satellite	Spare	Spare
FREQUENCY	90.3 MHz	98.3 MHz	162.50	Preview Channel 01		
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/L	N		

Local Primary 2 (LP-2) Station: WCQM-FM, 98.3 MHz, Park Falls						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Optional
MONITORED SOURCE	SR Station WHBM	LP-1 Station WOJB-FM	Park Falls Wx Radio	Spare	Spare	Spare
FREQUENCY	90.3 MHz	88.9 MHz	162.50			
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/L			

Price, Sawyer, Ashland, and Iron Counties: All PN Stations / Cable Operators						
INPUT STATUS	1-Mandated	2-Mandated	#3-Optional	#4-Optional	#5-Optional	#6-Optional
MONITORED SOURCE	SR Station WHBM	LP-1 Station WOJB-FM	Park Falls Wx Radio ⁺	LP-2 Station WCQM-FM	Spare	Spare
FREQUENCY	90.3 MHz	88.9 MHz	162.50	98.3 MHz		
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/L	N/S/L/W		

+ = See Appendix B for alternate Weather Radio possibilities.

APPENDIX A: TABLE OF MONITORING ASSIGNMENTS for Legacy EAS
(Continued)

Local Area: NORTHEAST *Effective August 10, 2015, WHSF is now SR-1 Station♦.*

State Relay-1 (SR-1) Station♦: WHSF, 89.9 MHz, Rhinelander						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Agreed
MONITORED SOURCE	ECB/OC Fiber Ch.	LP-1 Station WHDG-FM	Rhinelander Wx Radio ⁺	LP-2 Station WRHN-FM	Spare	Spare
FREQUENCY	Direct Feed	97.3 MHz	162.400	100.1 MHz		
EAS LEVELS	N/S	N/S/L/W	W/D/L	N/S/L/W		

State Relay-2 (SR-2) Station♦: WXPR-FM, 91.7 MHz, Rhinelander						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Optional
MONITORED SOURCE	SR-1 Station WHSF-FM	NE LP-1 Stn WHDG-FM	Rhinelander Wx Radio ⁺	Wausau Wx Radio	Central LP-1 WIFC-FM	NE LP-2 Stn WRHN-FM
FREQUENCY	89.9 MHz	97.3 MHz	162.400	162.475	95.5 MHz	100.1 MHz
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/L	W/D/H	N/S/L/W	N/S/L/W

Local Primary 1 (LP-1) Station: WHDG-FM, 97.3 MHz, Rhinelander						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Optional
MONITORED SOURCE	SR-1 Station WHSF-FM♦	LP-2 Station WRHN-FM	Rhinelander Wx Radio ⁺	SiriusXM Satellite	Spare	Spare
FREQUENCY	89.9 MHz	100.1 MHz	162.400	Prev. Ch. 01		
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/L	N		

Local Primary 2 (LP-2) Station: WRHN-FM, 100.1 MHz, Rhinelander						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Optional
MONITORED SOURCE	SR-1 Station WHSF-FM♦	LP-1 Station WHDG-FM	Rhinelander Wx Radio ⁺	Spare	Spare	Spare
FREQUENCY	89.9 MHz	97.3 MHz	162.400			
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/L			

Oneida and Vilas Counties: All PN Stations / Cable Operators						
INPUT STATUS	1-Mandated	2-Mandated	#3-Optional	#4-Optional	#5-Optional	#6-Optional
MONITORED SOURCE	SR-1 Station WHSF-FM♦	LP-1 Station WHDG-FM	Rhinelander Wx Radio ⁺	LP-2 Station WRHN-FM	Spare	Spare
FREQUENCY	89.9 MHz	97.3 MHz	162.400	100.1 MHz		
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/L	N/S/L/W		

Forest and Florence Counties: All PN Stations / Cable Operators						
INPUT STATUS	1-Mandated	2-Mandated	#3-Optional	#4-Optional	#5-Optional	#6-Optional
MONITORED SOURCE	SR-1 Station WHSF-FM♦	LP-1 Station WHDG-FM	Crandon Wx Radio ⁺	LP-2 Station WRHN-FM	Spare	Spare
FREQUENCY	89.9 MHz	97.3 MHz	162.450	100.1 MHz		
EAS LEVELS	N/S/L	N/S/L	W/D/L	N/S/L		

♦ = EAS Participants unable to receive SR-1 Station WHSF should monitor SR-2 Station WXPR.
+ = See Appendix B for alternate Weather Radio possibilities.