

APPENDIX A: TABLE OF MONITORING ASSIGNMENTS for Legacy EAS

In addition to the new FCC requirement to monitor the FEMA EAS CAP feed, all Wisconsin broadcasters and cable operators must continue to monitor the two mandated over-the-air sources shown as Inputs #1 and #2 for their county in the tables on the following pages. Inputs #4 thru #6 are optional, but will add redundancy to receiving alerts at all levels of EAS.

The State Relay (SR) and Local Primary (LP-1 and LP-2) stations have agreed to monitor all optional sources shown for their stations, in order to provide the maximum alternate-path options to all broadcasters and cable operators.

In 2004, NOAA Weather Radio (NWR) began relaying national, state, and local alerts issued by the U.S. Department of Homeland Security. In 2006, NWR began relaying local alerts using the HazCollect system. Wisconsin broadcasters and cable operators are therefore strongly encouraged to begin monitoring NWR directly, if not already doing so.

LEGACY EAS MONITORING ASSIGNMENT WAIVERS:

EAS Participants with a Monitoring Assignment Waiver are listed in Appendix H of this Plan.

STATEWIDE EAS FREQUENCY

A Low-Band two-way radio frequency, 45.12 MHz, has been designated as a statewide channel available for all individual County Sheriff/Emergency Management agencies to use for sending EAS alerts to local broadcasters and cable operators. It is preferred that all county agencies use this frequency for local alerts. Broadcasters and cable operators then need monitor only one channel to receive warnings from all surrounding counties. However, since use of the Statewide EAS Frequency is not mandated, broadcasters and cable operators should consult with their counties of concern to confirm what channel(s) will be used for EAS alerting (or if local alerts will be disseminated via the NWS HazCollect system or via the FEMA IPAWS EAS CAP feed).

HOW TO FIND YOUR MONITORING ASSIGNMENT TABLE:

All Wisconsin broadcasters and cable operators should monitor the sources shown for the county in which their City of License is located. Determine that county, then consult the map in Appendix E to determine which Local Area that county will be found in. Next, find the page in this section for that Local Area. Your county will be listed on the top line of one of the tables on that page. The sources listed in that table are the ones you are to monitor.

Notes on information shown in EAS Assignment Tables:

+ = Weather Radio listing shows the main NWR station sending the RMT for that area.

If you are experiencing reception problems with that NWR station, see Appendix B for alternate Weather Radio possibilities which also send the RMT for your county.

EAS LEVELS: Identifies what levels of EAS will be available on that particular decoder input.

N = National, S = State, L = Local Civil Emergencies, W = Weather Alerts

D = Alerts from Department of Homeland Security, which could be national, state, or local.

H = NWS HazCollect local alerts. (Contact NWS Offices listed in Appendix B for details)

STATE PRIMARY (SP) SOURCE: NATIONAL EAS MONITORING POINT FOR STATE EAS NETWORK / BACK-UP STATE EAS ORIGINATION POINT:

Wisconsin Educational Communications Board / Operations Center in Madison – ECB/OC						
INPUT	Input #1	Input #2	Input #3	Input #4	Input #5	Input #6
MONITORED SOURCE	NPR News Squawk Ch.	PEP Station	Wisconsin State EOC	Spare	Dane Co. 911 Center	Dane Co. 911 Center
FREQUENCY	NPR Satellite	WTMJ / 620	ISDN patch		Marti Link	Phone Link
EAS LEVELS	N	N	S		Amber Alerts	Amber Alerts

APPENDIX A: TABLE OF MONITORING ASSIGNMENTS for Legacy EAS (Continued)

Local Area: EAST CENTRAL

State Relay (SR) Station: WPNE, 89.3 MHz, Green Bay						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Agreed
MONITORED SOURCE	ECB/OC Fiber Ch.	LP-1 Stations WTAQ-AM WIXX-FM	Green Bay Wx Radio	Statewide † EAS Freq.	LP-2 Stations WHBY-AM WAPL-FM	Spare
FREQUENCY	Direct Feed	1360/101.1	Direct Feed	45.12 MHz	1150/105.7	
EAS LEVELS	N/S	N/S/L/W	W/D/H	L	N/S/L/W	

Local Primary 1 (LP-1) Stations: WTAQ/WIXX, Green Bay						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Optional
MONITORED SOURCE	SR Station WPNE	LP-2 Stations WHBY-AM WAPL-FM	Green Bay Wx Radio	Statewide † EAS Freq.	Spare	Spare
FREQUENCY	89.3 MHz	1150/105.7	162.55	45.12 MHz		
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/H	L		

Local Primary 2 (LP-2) Stations: WHBY/WAPL, Kimberly/Appleton						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Optional
MONITORED SOURCE	SR Station WPNE	LP-1 Stations WTAQ-AM WIXX-FM	Green Bay Wx Radio	Statewide † EAS Freq.	Spare	Spare
FREQUENCY	89.3 MHz	1360/101.1	162.55	45.12 MHz		
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/H	L		

Brown, Outagamie, Winnebago, Calumet, Manitowoc, Kewaunee, Door, Oconto, and Marinette Counties: All PN Stations / Cable Operators						
INPUT STATUS	1-Mandated	2-Mandated	#3-Optional	#4-Optional	#5-Optional	#6-Optional
MONITORED SOURCE	SR Station WPNE	LP-1 Stations WTAQ-AM WIXX-FM	Green Bay Wx Radio ⁺	Statewide † EAS Freq.	LP-2 Stations WHBY-AM WAPL-FM	Spare
FREQUENCY	89.3 MHz	1360/101.1	162.55	45.12 MHz	1150/105.7	
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/H	L	N/S/L/W	

Waushara, Marquette, and Green Lake Counties: All PN Stations / Cable Operators						
INPUT STATUS	1-Mandated	2-Mandated	#3-Optional	#4-Optional	#5-Optional	#6-Optional
MONITORED SOURCE	SR Station WPNE	LP-1 Stations WTAQ-AM WIXX-FM	Coloma Wx Radio ⁺	Statewide † EAS Freq.	LP-2 Stations WHBY-AM WAPL-FM	Spare
FREQUENCY	89.3 MHz	1360/101.1	162.40	45.12 MHz	1150/105.7	
EAS LEVELS	N/S/L	N/S/L	W/D/H	L	N/S/L	

+ = See Appendix B for alternate Weather Radio possibilities.

† = Determine if your county is using the Statewide EAS Frequency, or a different local channel.

APPENDIX A: TABLE OF MONITORING ASSIGNMENTS for Legacy EAS (Continued)

Local Area: SOUTHEAST

State Relay (SR) Station: WHAD, 90.7 MHz, Delafield						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Agreed
MONITORED SOURCE	ECB/OC Fiber Ch.	LP-1 Stations WTMJ-AM WKTI-FM	Milwaukee Wx Radio	Statewide † EAS Freq.	LP-2 Stations WSSP-AM WMYX-FM	Spare
FREQUENCY	Direct Feed	620/94.5	Direct Feed	45.12 MHz	1250/99.1	
EAS LEVELS	N/S	N/S/L/W	W/D/H	L	N/S/L/W	

Local Primary 1 (LP-1) Stations: WTMJ/WKTI, Milwaukee						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Optional
MONITORED SOURCE	SR Station WHAD	LP-2 Stations WSSP-AM WMYX-FM	Milwaukee Wx Radio	Statewide † EAS Freq.	Wisconsin State EOC	PEP Station
FREQUENCY	90.7 MHz	1250/99.1	162.40	45.12 MHz	ISDN	WLS / 890
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/H	L	N/S	N

Local Primary 2 (LP-2) Stations: WSSP/WMYX, Milwaukee						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Optional
MONITORED SOURCE	SR Station WHAD	LP-1 Stations WTMJ-AM WKTI-FM	Milwaukee Wx Radio	Statewide † EAS Freq.	Spare	Spare
FREQUENCY	90.7 MHz	620/94.5	162.40	45.12 MHz		
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/H	L		

Milwaukee, Waukesha, Racine, Kenosha, Walworth, Washington, Ozaukee, Jefferson, Dodge, Sheboygan, and Fond du Lac, Counties:						
All PN Stations / Cable Operators						
INPUT STATUS	1-Mandated	2-Mandated	#3-Optional	#4-Optional	#5-Optional	#6-Optional
MONITORED SOURCE	SR Station WHAD	LP-1 Stations WTMJ-AM WKTI-FM	Milwaukee Wx Radio ⁺	Statewide † EAS Freq.	LP-2 Stations WSSP-AM WMYX-FM	Spare
FREQUENCY	90.7 MHz	620/94.5	162.40	45.12 MHz	1250/99.1	
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/H	L	N/S/L/W	

+ = See Appendix B for alternate Weather Radio possibilities.

† = Determine if your county is using the Statewide EAS Frequency, or a different local channel.

APPENDIX A: TABLE OF MONITORING ASSIGNMENTS for Legacy EAS (Continued)

Local Area: SOUTH

State Relay (SR) Station: WERN, 88.7 MHz, Madison and WHHI, 91.3 MHz, Highland						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Agreed
MONITORED SOURCE	ECB/OC Fiber Ch.	LP-1 Stations WIBA-AM WIBA-FM	Madison Wx Radio	Statewide † EAS Freq.	LP-2 Station WOLX-FM	Spare
FREQUENCY	Direct Feed	1310/101.5	162.55	45.12 MHz	94.9 MHz	
EAS LEVELS	N/S	N/S/L/W	W/D/H	L	N/S/L/W	

Local Primary 1 (LP-1) Stations: WIBA-AM/FM, Madison						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Optional
MONITORED SOURCE	SR Station WERN	LP-2 Station WOLX-FM	Madison Wx Radio	Statewide † EAS Freq.	Spare	Spare
FREQUENCY	88.7 MHz	94.9 MHz	162.55	45.12 MHz		
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/H	L		

Local Primary 2 (LP-2) Station: WOLX-FM, Baraboo / Madison						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Optional
MONITORED SOURCE	SR Station WERN	LP-1 Stations WIBA-AM WIBA-FM	Madison Wx Radio	Statewide † EAS Freq.	Spare	Spare
FREQUENCY	88.7 MHz	1310/101.5	162.55	45.12 MHz		
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/H	L		

Dane, Rock, Green, Columbia, and Sauk Counties: All PN Stations / Cable Operators						
INPUT STATUS	1-Mandated	2-Mandated	#3-Optional	#4-Optional	#5-Optional	#6-Optional
MONITORED SOURCE	SR Station WERN	LP-1 Stations WIBA-AM WIBA-FM	Madison Wx Radio ⁺	Statewide † EAS Freq.	LP-2 Station WOLX-FM	Spare
FREQUENCY	88.7 MHz	1310/101.5	162.55	45.12 MHz	94.9 MHz	
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/H	L	N/S/L/W	

Richland, Iowa, and Lafayette Counties: All PN Stations / Cable Operators						
INPUT STATUS	1-Mandated	2-Mandated	#3-Optional	#4-Optional	#5-Optional	#6-Optional
MONITORED SOURCE	SR Station WHHI	LP-1 Stations WIBA-AM WIBA-FM	Madison Wx Radio ⁺	Statewide † EAS Freq.	LP-2 Station WOLX-FM	Spare
FREQUENCY	91.3 MHz	1310/101.5	162.55	45.12 MHz	94.9 MHz	
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/H	L	N/S/L/W	

Grant County: All PN Stations / Cable Operators						
INPUT STATUS	1-Mandated	2-Mandated	#3-Optional	#4-Optional	#5-Optional	#6-Optional
MONITORED SOURCE	SR Station WHHI	LP-1 Stations WIBA-AM WIBA-FM	Bloomington Wx Radio ⁺	Statewide † EAS Freq.	LP-2 Station WOLX-FM	Spare
FREQUENCY	91.3 MHz	1310/101.5	162.50	45.12 MHz	94.9 MHz	
EAS LEVELS	N/S/L	N/S/L	W/D/H	L	N/S/L	

+ = See Appendix B for alternate Weather Radio possibilities.

† = Determine if your county is using the Statewide EAS Frequency, or a different local channel.

APPENDIX A: TABLE OF MONITORING ASSIGNMENTS for Legacy EAS (Continued)

Local Area: WEST

Effective October, 2004, WCOW is now FM LP-2 Station.

State Relay (SR) Station: WHLA, 90.3 MHz, La Crosse						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Agreed
MONITORED SOURCE	ECB/OC Fiber Ch.	LP-1 Station WIZM-FM	La Crosse Wx Radio	Statewide † EAS Freq.	LP-2 Stations WKTY-AM WCOW-FM	Spare
FREQUENCY	Direct Feed	93.3 MHz	Direct Feed	45.12 MHz	580/97.1	
EAS LEVELS	N/S	N/S/L/W	W/D/H	L	N/S/L/W	

Local Primary 1 (LP-1) Station: WIZM-FM, La Crosse						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Optional
MONITORED SOURCE	SR Station WHLA	LP-2 Stations WKTY-AM WCOW-FM	La Crosse Wx Radio	Statewide † EAS Freq.	Spare	Spare
FREQUENCY	90.3 MHz	580/97.1	162.55	45.12 MHz		
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/H	L		

Local Primary 2 (LP-2) Stations: WKTY-AM, La Crosse / WCOW-FM, Sparta						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Optional
MONITORED SOURCE	SR Station WHLA	LP-1 Station WIZM-FM	La Crosse Wx Radio	Statewide † EAS Freq.	Spare	Spare
FREQUENCY	90.3 MHz	93.3 MHz	162.55	45.12 MHz		
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/H	L		

La Crosse, Buffalo, Trempealeau, Jackson, Monroe, Vernon, and Crawford Counties: All PN Stations / Cable Operators						
INPUT STATUS	1-Mandated	2-Mandated	#3-Optional	#4-Optional	#5-Optional	#6-Optional
MONITORED SOURCE	SR Station WHLA	LP-1 Station WIZM-FM	La Crosse Wx Radio ⁺	Statewide † EAS Freq.	LP-2 Stations WKTY-AM WCOW-FM	Spare
FREQUENCY	90.3 MHz	93.3 MHz	162.55	45.12 MHz	580/97.1	
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/H	L	N/S/L/W	

Juneau County: All PN Stations / Cable Operators						
INPUT STATUS	1-Mandated	2-Mandated	#3-Optional	#4-Optional	#5-Optional	#6-Optional
MONITORED SOURCE	SR Station WHLA	LP-1 Station WIZM-FM	Coloma Wx Radio ⁺	Statewide † EAS Freq.	LP-2 Stations WKTY-AM WCOW-FM	Spare
FREQUENCY	90.3 MHz	93.3 MHz	162.40	45.12 MHz	580/97.1	
EAS LEVELS	N/S/L	N/S/L	W/D/H	L	N/S/L	

+ = See Appendix B for alternate Weather Radio possibilities.

† = Determine if your county is using the Statewide EAS Frequency, or a different local channel.

APPENDIX A: TABLE OF MONITORING ASSIGNMENTS for Legacy EAS (Continued)

Local Area: WEST CENTRAL

State Relay (SR) Station: WHWC, 88.3 MHz, Menomonie						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Agreed
MONITORED SOURCE	ECB/OC Fiber Ch.	LP-1 Stations WAYY-AM WIAL-FM**	Menomonie Wx Radio	Statewide † EAS Freq.	LP-2 Stations WBIZ-AM WBIZ-FM	Spare
FREQUENCY	Direct Feed	790/94.1	Direct Feed	45.12 MHz	1400/100.7	
EAS LEVELS	N/S	N/S/L/W	W/D/H	L	N/S/L/W	

Local Primary 1 (LP-1) Stations: WAYY/WIAL/WAXX, Eau Claire						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Optional
MONITORED SOURCE	SR Station WHWC	LP-2 Stations WBIZ-AM WBIZ-FM	Menomonie Wx Radio	Statewide † EAS Freq.	Spare	Spare
FREQUENCY	88.3 MHz	1400/100.7	162.40	45.12 MHz		
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/H	L		

Local Primary 2 (LP-2) Stations: WBIZ-AM/FM, Eau Claire						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Optional
MONITORED SOURCE	SR Station WHWC	LP-1 Stations WAYY-AM WIAL-FM**	Menomonie Wx Radio	Statewide † EAS Freq.	Spare	Spare
FREQUENCY	88.3 MHz	790/94.1	162.40	45.12 MHz		
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/H	L		

Eau Claire, Pepin, Dunn, Chippewa, Rusk, Barron, Polk, St. Croix, and Pierce Counties: All PN Stations / Cable Operators						
INPUT STATUS	1-Mandated	2-Mandated	#3-Optional	#4-Optional	#5-Optional	#6-Optional
MONITORED SOURCE	SR Station WHWC	LP-1 Stations WAYY-AM WIAL-FM**	Menomonie Wx Radio ⁺	Statewide † EAS Freq.	LP-2 Stations WBIZ-AM WBIZ-FM	Spare
FREQUENCY	88.3 MHz	790/94.1	162.40	45.12 MHz	1400/100.7	
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/H	L	N/S/L/W	

+ = See Appendix B for alternate Weather Radio possibilities.

† = Determine if your county is using the Statewide EAS Frequency, or a different local channel.

** = Any broadcaster or cable operator having trouble receiving WIAL-FM, should try co-owned station WAXX-FM, 104.5 MHz, 100kW @ 1830', for improved reception. Stations and Cable Systems deciding to use WAXX-FM for EAS monitoring should notify the State EAS Co-Chair shown in Appendix F of this Plan.

APPENDIX A: TABLE OF MONITORING ASSIGNMENTS for Legacy EAS (Continued)

Local Area: CENTRAL

State Relay (SR) Station: WHRM, 90.9 MHz, Wausau						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Agreed
MONITORED SOURCE	ECB/OC Fiber Ch.	LP-1 Stations WSAU-AM WIFC-FM	Wausau Wx Radio	Statewide † EAS Freq.	LP-2 Stations WRIG-AM WDEZ-FM	Spare
FREQUENCY	Direct Feed	550/95.5	Direct Feed	45.12 MHz	1390/101.9	
EAS LEVELS	N/S	N/S/L/W	W/D/H	L	N/S/L/W	

Local Primary 1 (LP-1) Stations: WSAU/WIFC, Wausau						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Optional
MONITORED SOURCE	SR Station WHRM	LP-2 Stations WRIG-AM WDEZ-FM	Wausau Wx Radio	Statewide † EAS Freq.	Spare	Spare
FREQUENCY	90.9 MHz	1390/101.9	162.475	45.12 MHz		
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/H	L		

Local Primary 2 (LP-2) Stations: WRIG/WDEZ, Wausau						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Optional
MONITORED SOURCE	SR Station WHRM	LP-1 Stations WSAU-AM WIFC-FM	Wausau Wx Radio	Statewide † EAS Freq.	Spare	Spare
FREQUENCY	90.9 MHz	550/95.5	162.475	45.12 MHz		
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/H	L		

Marathon, Wood, Portage, Waupaca, Shawano, Menominee, Langlade, Lincoln, Taylor, and Clark Counties:						
All PN Stations / Cable Operators						
INPUT STATUS	1-Mandated	2-Mandated	#3-Optional	#4-Optional	#5-Optional	#6-Optional
MONITORED SOURCE	SR Station WHRM	LP-1 Stations WSAU-AM WIFC-FM	Wausau Wx Radio ⁺	Statewide † EAS Freq.	LP-2 Stations WRIG-AM WDEZ-FM	Spare
FREQUENCY	90.9 MHz	550/95.5	162.475	45.12 MHz	1390/101.9	
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/H	L	N/S/L/W	

Adams County: All PN Stations / Cable Operators						
INPUT STATUS	1-Mandated	2-Mandated	#3-Optional	#4-Optional	#5-Optional	#6-Optional
MONITORED SOURCE	SR Station WHRM	LP-1 Stations WSAU-AM WIFC-FM	Coloma Wx Radio ⁺	Statewide † EAS Freq.	LP-2 Stations WRIG-AM WDEZ-FM	Spare
FREQUENCY	90.9 MHz	550/95.5	162.40	45.12 MHz	1390/101.9	
EAS LEVELS	N/S/L	N/S/L	W/D/H	L	N/S/L	

+ = See Appendix B for alternate Weather Radio possibilities.

† = Determine if your county is using the Statewide EAS Frequency, or a different local channel.

APPENDIX A: TABLE OF MONITORING ASSIGNMENTS for Legacy EAS (Continued)

Local Area: NORTHWEST

State Relay (SR) Station: WWSA, 89.9 MHz, Brule						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Agreed
MONITORED SOURCE	ECB/OC Fiber Ch.	LP-1 Stations WWSM-AM KDWZ-FM	Duluth Wx Radio	Statewide † EAS Freq.	LP-2 Stations KDAL-AM KDAL-FM	Spare
FREQUENCY	Direct Feed	710/102.5	162.55	45.12 MHz	610/95.7	
EAS LEVELS	N/S	N/S/L/W	W/D/H	L	N/S/L/W	

Local Primary 1 (LP-1) Stations: WWSM/KDWZ, Superior						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Optional
MONITORED SOURCE	SR Station WWSA	LP-2 Stations KDAL-AM KDAL-FM	Duluth Wx Radio	Statewide † EAS Freq.	Spare	Spare
FREQUENCY	89.9 MHz	610/95.7	162.55	45.12 MHz		
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/H	L		

Local Primary 2 (LP-2) Stations: KDAL-AM/FM, Duluth, MN						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Optional
MONITORED SOURCE	SR Station WWSA	LP-1 Stations WWSM-AM KDWZ-FM	Duluth Wx Radio	Statewide † EAS Freq.	Spare	Spare
FREQUENCY	89.9 MHz	710/102.5	162.55	45.12 MHz		
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/H	L		

Douglas and Bayfield Counties: All PN Stations / Cable Operators						
INPUT STATUS	1-Mandated	2-Mandated	#3-Optional	#4-Optional	#5-Optional	#6-Optional
MONITORED SOURCE	SR Station WWSA	LP-1 Stations WWSM-AM KDWZ-FM	Duluth Wx Radio ⁺	Statewide † EAS Freq.	LP-2 Stations KDAL-AM KDAL-FM	Spare
FREQUENCY	89.9 MHz	710/102.5	162.55	45.12 MHz	610/95.7	
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/H	L	N/S/L/W	

Washburn, and Burnett Counties: All PN Stations / Cable Operators						
INPUT STATUS	1-Mandated	2-Mandated	#3-Optional	#4-Optional	#5-Optional	#6-Optional
MONITORED SOURCE	SR Station WWSA	LP-1 Stations WWSM-AM KDWZ-FM	Spoooner Wx Radio	Statewide † EAS Freq.	LP-2 Stations KDAL-AM KDAL-FM	Spare
FREQUENCY	89.9 MHz	710/102.5	162.475	45.12 MHz	610/95.7	
EAS LEVELS	N/S/L	N/S/L	W/D/H	L	N/S/L	

+ = See Appendix B for alternate Weather Radio possibilities.

† = Determine if your county is using the Statewide EAS Frequency, or a different local channel.

APPENDIX A: TABLE OF MONITORING ASSIGNMENTS for Legacy EAS (Continued)

Local Area: NORTH CENTRAL

State Relay (SR) Station: WHBM, 90.3 MHz, Park Falls						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Agreed
MONITORED SOURCE	ECB/OC Fiber Ch.	LP-1 Station WOJB-FM	Park Falls Wx Radio	Statewide † EAS Freq.	LP-2 Station WCQM-FM	Spare
FREQUENCY	Direct Feed	88.9 MHz	Direct Feed	45.12 MHz	98.3 MHz	
EAS LEVELS	N/S	N/S/L/W	W/D/H	L	N/S/L/W	

Local Primary 1 (LP-1) Station: WOJB-FM, 88.9 MHz, Reserve/Hayward						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Optional
MONITORED SOURCE	SR Station WHBM	LP-2 Station WCQM-FM	Park Falls Wx Radio	Statewide † EAS Freq.	Spare	Spare
FREQUENCY	90.3 MHz	98.3 MHz	162.50	45.12 MHz		
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/H	L		

Local Primary 2 (LP-2) Station: WCQM-FM, 98.3 MHz, Park Falls						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Optional
MONITORED SOURCE	SR Station WHBM	LP-1 Station WOJB-FM	Park Falls Wx Radio	Statewide † EAS Freq.	Spare	Spare
FREQUENCY	90.3 MHz	88.9 MHz	162.50	45.12 MHz		
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/H	L		

Price, Sawyer, Ashland, and Iron Counties: All PN Stations / Cable Operators						
INPUT STATUS	1-Mandated	2-Mandated	#3-Optional	#4-Optional	#5-Optional	#6-Optional
MONITORED SOURCE	SR Station WHBM	LP-1 Station WOJB-FM	Park Falls Wx Radio ⁺	Statewide † EAS Freq.	LP-2 Station WCQM-FM	Spare
FREQUENCY	90.3 MHz	88.9 MHz	162.50	45.12 MHz	98.3 MHz	
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/H	L	N/S/L/W	

+ = See Appendix B for alternate Weather Radio possibilities.

† = Determine if your county is using the Statewide EAS Frequency, or a different local channel.

APPENDIX A: TABLE OF MONITORING ASSIGNMENTS for Legacy EAS (Continued)

Local Area: NORTHEAST ***Effective August 10, 2015, WHSF is now SR-1 Station♦.***

State Relay-1 (SR-1) Station♦: WHSF, 89.9 MHz, Rhinelander						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Agreed
MONITORED SOURCE	ECB/OC Fiber Ch.	LP-1 Station WHDG-FM	Rhineland Wx Radio ⁺	Statewide † EAS Freq.	LP-2 Station WRHN-FM	Spare
FREQUENCY	Direct Feed	97.3 MHz	162.400	45.12 MHz	100.1 MHz	
EAS LEVELS	N/S	N/S/L/W	W/D/H	L	N/S/L/W	

State Relay-2 (SR-2) Station♦: WXPR-FM, 91.7 MHz, Rhinelander						EAS UNIT #1
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Optional
MONITORED SOURCE	SR-1 Station WHSF-FM	NE LP-1 Stn WHDG-FM	Rhineland Wx Radio ⁺	Wausau Wx Radio	Central LP-1 WIFC-FM	NE LP-2 Stn WRHN-FM
FREQUENCY	89.9 MHz	97.3 MHz	162.400	162.475	95.5 MHz	100.1 MHz
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/H	W/D/H	N/S/L/W	N/S/L/W

State Relay-2 (SR-2) Station♦: WXPR-FM, 91.7 MHz, Rhinelander						EAS UNIT #2
INPUT STATUS	1- Optional	2-	#3-	#4-	#5 -	#6-
MONITORED SOURCE	Statewide † EAS Freq.					
FREQUENCY	45.12 MHz					
EAS LEVELS	L					

Local Primary 1 (LP-1) Station: WHDG-FM, 97.3 MHz, Rhinelander						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Optional
MONITORED SOURCE	SR-1 Station WHSF-FM♦	LP-2 Station WRHN-FM	Rhineland Wx Radio ⁺	Statewide † EAS Freq.	Spare	Spare
FREQUENCY	89.9 MHz	100.1 MHz	162.400	45.12 MHz		
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/H	L		

Local Primary 2 (LP-2) Station: WRHN-FM, 100.1 MHz, Rhinelander						
INPUT STATUS	1-Mandated	2-Mandated	#3-Agreed	#4-Agreed	#5-Agreed	#6-Optional
MONITORED SOURCE	SR-1 Station WHSF-FM♦	LP-1 Station WHDG-FM	Rhineland Wx Radio ⁺	Statewide † EAS Freq.	Spare	Spare
FREQUENCY	89.9 MHz	97.3 MHz	162.400	45.12 MHz		
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/H	L		

County Monitoring Assignments are shown on next page, Page 11.

♦ = EAS Participants unable to receive SR-1 Station WHSF should monitor SR-2 Station WXPR.
 + = See Appendix B for alternate Weather Radio possibilities.
 † = Determine if your county is using the Statewide EAS Frequency, or a different local channel.

APPENDIX A: TABLE OF MONITORING ASSIGNMENTS for Legacy EAS (Continued)

Local Area: NORTHEAST

Effective August 10, 2015, WHSF is now SR-1 Station♦.

Oneida and Vilas Counties:						
All PN Stations / Cable Operators						
INPUT STATUS	1-Mandated	2-Mandated	#3-Optional	#4-Optional	#5-Optional	#6-Optional
MONITORED SOURCE	SR-1 Station WHSF-FM♦	LP-1 Station WHDG-FM	Rhinelanders Wx Radio ⁺	Statewide † EAS Freq.	LP-2 Station WRHN-FM	Spare
FREQUENCY	89.9 MHz	97.3 MHz	162.400	45.12 MHz	100.1 MHz	
EAS LEVELS	N/S/L/W/D/H	N/S/L/W	W/D/H	L	N/S/L/W	

Forest and Florence Counties:						
All PN Stations / Cable Operators						
INPUT STATUS	1-Mandated	2-Mandated	#3-Optional	#4-Optional	#5-Optional	#6-Optional
MONITORED SOURCE	SR-1 Station WHSF-FM♦	LP-1 Station WHDG-FM	Crandon Wx Radio ⁺	Statewide † EAS Freq.	LP-2 Station WRHN-FM	Spare
FREQUENCY	89.9 MHz	97.3 MHz	162.450	45.12 MHz	100.1 MHz	
EAS LEVELS	N/S/L	N/S/L	W/D/H	L	N/S/L	

♦ = EAS Participants unable to receive SR-1 Station WHSF should monitor SR-2 Station WXPB.

+ = See Appendix B for alternate Weather Radio possibilities.

† = Determine if your county is using the Statewide EAS Frequency, or a different local channel.